Bureau of Licensure and Certification

30 portalos

PRINTED: 10/16/2008 FORM APPROVED

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING			(X3) DATE SURVEY COMPLETED	
		NVN72AGC	B. WING			09/17/2008		
NAME OF F	ROVIDER OR SUPPLIER		STREET AD	DRESS, CITY,	STATE, ZIP CODE			
AQUARIUS GRP CARE HOME INC #1 590 STEW RENO, NV					*			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE		
	a result of an annual conducted in your for Licensure survey wo of NRS 449.150, Por The facility is licens for Group beds for Category I resident the survey was three reviewed. One discreviewed. The following deficit 449.2742(1)(a)(1) 4 Administration NAC 449.2742 1. The administrator provides assistance administration of m (a) Ensure that a phregistered nurse white the facility of the facility, including the facility, including the facility, including the facility of NRS 449.100 and NAC 449.2742 1. The administrator of m (a) Ensure that a phregistered nurse white the facility of the facility, including the facility, including the facility, including the facility, including the facility including th	r of a residential faci e to residents in the edications shall: nysician, pharmacist no does not have a filly: accuracy and eleast once every 6 re is taken by each resi g, without limitation, a edications and dietar	rvey his State authority Division. al Facility persons, time of es were was d: dication lity that or nancial nonths dent of any	Y 000	OCT 3	EIVED 0 2008 ELICENSURE FIFICATION ITY, NEVADA		
	This Regulation is	not met as evidence	d by:					

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

(X6) DATE

STATE FORM

If continuation sheet 1 of 5

PRINTED: 10/16/2008 FORM APPROVED

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING		(X3) DATE SURVEY COMPLETED		
NVN72AGC			B. WING 09/		09/17	17/2008		
					STATE, ZIP CODE			
AQUARIUS GRP CARE HOME INC #1 590 STEW RENO, NV			RENO, NV	=				
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		FULL	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECT (EACH CORRECTIVE ACTION SHOUNDS OF CROSS-REFERENCED TO THE APPROPRIES (ENCY)	ON SHOULD BE COMPLET HE APPROPRIATE DATE		
Y 870	Based on record review on 9/17/08, the facility did not ensure 2 of 3 resident medication regimens were reviewed every six months. Findings include: The file for Resident #1 contained medication reviews completed in May and November 2007. The next medication review was not completed until September 2008, ten months later. The file for Resident #2 contained medication reviews completed in August 2007 and April 2008, nine months apart. Severity: 1 Scope: 3		facility n hs. cation er 2007. npleted cation April		Y 870 a) We understand that the medicate are done every six months and will each resident is updated on a time! However, the Veteran's Administrate lost all their doctors assigned to the Team in which all our residents are with and they have made some standjustment that has delayed all docrequested. b) The Administrator will follow up of documents submitted to the VA in chave all resident files updated and c) 10/01/2008			
Y 936 SS=E	resident of a reside least 5 years after if facility. The file muthat is resistant to fi unauthorized use. records, letters, assinformation and any the resident, includi (e) Evidence of conchapter 441A of NF adopted pursuant to This Regulation is Based on record redid not ensure 1 of (TB) testing require	nust be maintained for ntial facility and retained permanently leaved at the permanently leaved in a second in the file must contain the file must contain the sessments, medically other information retains without limitation and the regulation for metals and the regulation for metals are evidence view on 9/17/08, the 3 residents met tubes	or each ned for at es the a place against all elated to visions of as	Y 936				
	Findings include:			40.	ter receipt of this statement of deficiencies			

STATE FORM

RNNJ11



PRINTED: 10/16/2008 FORM APPROVED

STATEMENT OF DEFICIENCIES (X3) DATE SURVEY (X1) PROVIDER/SUPPLIER/CLIA (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION COMPLETED IDENTIFICATION NUMBER: A. BUILDING B. WING **NVN72AGC** 09/17/2008 STREET ADDRESS, CITY, STATE, ZIP CODE NAME OF PROVIDER OR SUPPLIER **590 STEWART ST AQUARIUS GRP CARE HOME INC #1 RENO, NV 89502** SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (X4) ID (EACH DEFICIENCY MUST BE PRECEDED BY FULL COMPLETE (EACH CORRECTIVE ACTION SHOULD BE PREFIX PREFIX REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE DATE TAG TAG DEFICIENCY) Y 936 Continued From page 2 Y 936 Y 936 Resident #2 does have a TB test on 2007 dated 03/19/2007. (see Attachment 1) The surveyor had overlooked this in his file.

Thy colim in thigh of PC-Pro Lixin Wo TE The file for Resident #2 contained evidence of an annual one-step TB test completed on 11/27/06 and a one-step TB test completed on 3/31/08. There was no evidence of an annual TB test ensuring all resident files are updated and completed in 2007. The resident requires an complete. However, if the surveyor had additional one-step TB test to meet the two-step notified the Administrator of this deficiency TB test requirement. The additional one-step test upon the completion of the survey, maybe the can be combined with the 3/31/08 test and qualify Administrator may have aided the surveyor in as a two-step test. finding this document which was inside the files during the survey and was overlooked. Repeat deficiency from the annual State Licensure survey on 9/4/07. b) 09/17/2008 Severity: 2 Scope: 2 Y 939; 449.2749(1)(g)(2) Resident File Y 939 SS=C NAC 449.2749 1. A separate file must be maintained for each resident of a residential facility and retained for at least 5 years after he permanently leaves the facility. The file must be kept locked in a place that is resistant to fire and is protected against unauthorized use. The file must contain all records, letters, assessments, medical information and any other information related to the resident, including without limitation: (g) An evaluation of the resident's ability to perform the activities of daily living and a brief description of any assistance he needs to perform those activities. The facility shall prepare such an evaluation: (2) Each time there is a change in the mental or physical condition of the resident that may significantly affect his ability to perform the activities of daily living.

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

STATE FORM

6899

RNNJ11

If continuation sheet 3 of 5



OCT 3 0 2008

Bureau of Licensure and Certification

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING		(X3) DATE SURVEY COMPLETED	
NVN72AGC			B. WING		09/17	//2008	
NAME OF PROVIDER OR SUPPLIER STREET AD				STATE, ZIP CODE			
AQUARIUS GRP CARE HOME INC #1 590 STEW RENO, NV							
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORREC (EACH CORRECTIVE ACTION SHO CROSS-REFERENCED TO THE APPR DEFICIENCY)	ACTION SHOULD BE CO		
Y 939 Y 944 SS=A	Continued From page 3 This Regulation is not met as evidenced by: Based on record review on 9/17/08, the facility did not ensure 2 of 3 residents had evidence of annual activities of daily living (ADL) assessments. Findings include: The files for Residents #1 and #3 did not contain evidence of annual ADL assessments for 2007 and 2008. Severity: 1 Scope: 3 449.2749(2) Resident File / Discharge NAC 449.2749 2. The document required pursuant to paragraph (j) of subsection 1 must indicate the location to		Y 939	y939 a) The Administrator conducted an ADL assessment for 2008 on Resi and #3 and placed the forms in the files. (see Attachments 2 and 3) b) The Administrator is responsible the ADL assessments and will ensteadents are assessed yearly. c) 09/18/2008	rator conducted an annual let for 2008 on Residents #1 ed the forms in the resident's nments 2 and 3) rator is responsible to conduct ments and will ensure that		
	resident dies while document must ind death and the date responsible for the inform him of the d		lity, the te of the n ted to				
	This Regulation is	not met as evidence	a by:	I			j .

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

STATE FORM

9

RNNJ11

If continuation sheet 4 of 5



OCT 3 0 2008

PRINTED: 10/16/2008 ROVED

Bureau of Licensure and Certification

FORM APPR	

STATEMENT OF DEFICIENCIES
AND PLAN OF CORRECTION

(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:

(X2) MULTIPLE CONSTRUCTION A. BUILDING

(X3) DATE SURVEY COMPLETED

NVN72AGC

B. WING_

09/17/2008

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

		590 STEWART ST RENO, NV 89502		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY F REGULATORY OR LSC IDENTIFYING INFORMAT	ULL PREFIX	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
Y 944	Continued From page 4 Based on record review and interview on the facility did not ensure the file for a dis resident contained information concerning discharge. Findings include: The file for Resident #4 did not contain information concerning his discharge fror facility. The caregiver reported the reside passed away. Severity: 1 Scope: 1	charged g the	P 944 a) Resident #4 had passed away on D8/22/2008. A Discharge of Transfer Form was placed in his records. (see Attachment 4) b) The Administrator will ensure that all discharges, transfers or passing are properly documented and placed on file. c) 09/22/2008 RECEIVED OCT 8 0 2008	\$P
1		1		

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies FICATION

CARSON CITY, NEVADA

If continuation sheet 5 of 5 STATE FORM